




Performance



Technical Information



Features

- Type: Absorber
- Absorption range: 250 Hz to 4000 Hz
- Acoustic Class: C | (α_w) = 0,7
- Available Fire rates: FG | Furniture Grade
- Materials:
 - Natural wood | Lacquered HMDF
 - Marine grade plywood structural frame
 - Calibrated cell acoustic foam
- Four M6 Screw Thread receiver included on each panel.

Dimensions:

- FG - LW | 595x595x58mm
- FG - NW | 595x595x58mm

Athos is a high performance panel, designed to counteract reflections, concentrating on mid-high frequencies, while its sleek surfaces and perforation also provide selective scattering over high frequencies, combining both effects in this distinct design. Available in a selection of lacquered and wood finishes, and in FG and FR+ Fire rates.

This striking panel is a prime example of signature Artnovion design.

Product finishes

(FG - LW) Lacquered Wood Finishes



(L01) Blanc



(L02) Noir



(L03) Rouge



(L05) Silver



(L06) Noir Vintage



(L07) Graphite
Black



(L08) Rose Gold



(L09) Classic Gold



(L10) Bronze



(L11) Raw White



(L12) Raw Black

(FG - NW) Natural Wood Finishes



(W01) Cerise




(W02) Marron



(W03) Wenge

Athos W - Absorber

Wooden Absorber



Features

Type:
Absorber

Absorption range: 250 Hz to 4000 Hz

Acoustic Class: C | $(\alpha_w) = 0,7$

Available Fire rates:
FG | Furniture Grade

Materials:

- Natural wood | Lacquered HMDF
- Marine grade plywood structural frame
- Calibrated cell acoustic foam

Four M6 Screw Thread receiver included on each panel.

Dimensions:

FG - LW | 595x595x58mm

FG - NW | 595x595x58mm

Fixing Systems

Wall & Ceiling



+ FixArt Tube



+ FixArt Clip

Walls & Ceilings



+ GlueArt

Ceiling



+ FixArt Cloud

Add-ons



+ FixArt Connect



+ FixArt Tube Lock | Accessories |



+ M6 Screw Thread receiver - Add-on

Mobile



+ Kit Mobile Wall